

ALL MAKES **TRUCK PARTS** BY RMC



AIR & BRAKE

ABS Components

RMC #	Replacement #	Product Description	Popular Applications	Product Information
4410329212RMC	4410329212	ABS Speed Sensor - 15.75"		Replacement For WABCO® Body Type: 90° Connector Type: Black Cannon Length: 15.75" / 400mm Includes Wiring W/ Sensor Lube & 2 Half Moon Retainers
801538RMC	801538	ABS Speed Sensor - 75"		Replacement for Bendix® Body Type: 90° 75" / 1905mm Connector Type: White Cannon Dimensions - 75/1905mm"
801543RMC	801543	ABS Speed Sensor, 66"		Replacement for Bendix® Body Type: Straight 66" / 1676mm Connector Type: White Cannon Dimensions - 66/1676mm"
R955336RMC	R955336	ABS Speed Sensor - 36"	International Prostar Linehaul Conventions, 9000 Premium Conventions, Be200, Re300, Ce200,300 School Buses	REPLACEMENT FOR WABCO® Body Type: 90° 39.37" / 1000mm Connector Type: Black Cannon Dimensions - 36/914mm
R955342RMC	R955342	ABS Speed Sensor - 78"	Freightliner Columbia 120 & Columbia Models (2007)	REPLACEMENT FOR WABCO® Body Type: 90° Right Angle 78" / 1981mm Connector Type: Black Cannon Dimensions - 78/1981mm



801543RMC



4410329212RMC

AIR & BRAKE

Air Dryers & Cartridges

RMC #	Replacement #	Product Description	Popular Applications	Product Information
065225RMC	065225	Air Dryer Assembly (AD-9) 12V		
65612RMC	065612	Air Dryer Assembly (AD-IP) 12V	Freightliner Columbia 120 & Columbia (2007)	Ports - Supply: 1/2" NPT Delivery: 1/2" NPT Control: 1/4" NPT
065624RMC	065624	Air Dryer Cartridge (AD-IP)	Freightliner Columbia 120 & Columbia Models (2007)	Replacement for Bendix AD-IP™ New/No Core Charge, Includes Seal Ring Kit
107796RMC	107796	Air Dryer Cartridge (AD-9)		Replacement for Bendix AD-9™ New/No Core Charge & Includes Seal Ring Kit
109495RMC	109495	Heater / Thermostat Kit - 12 Volt (AD-SP, AD-IP, AS-IS)	Freightliner M2 106 (2012) Freightliner Columbia 120 & Columbia (2007)	Works w/ Bendix AD-SP™, AD-IP™ & AD-IS™ Air Dryers 12 Volt, White Cover Includes Seal Rings & Hardware
109994RMC	109994	Air Dryer Cartridge (AD-SP, AD-IS, SS1200, SS1200P)		
800405RMC	800405	Purge Valve Kit - 12 Volt (AD-9)		Works w/ Bendix AD-9™ Air Dryers, 12 Volt w/ White Cover Includes Soft Seat Piston Assembly, Heater/Thermostat Kit & Housing
801266RMC	801266	Air Dryer Assembly (AD-IS) 12V		Replacement for Bendix AD-IS™ Extended Purge Style
R955205RMC	R955205	Air Dryer Assembly (SS1200)		Replacement for Meritor 12 Volt, Includes Pressure Controlled Check Valve TDAS4341003100 New/No Core Charge



AIR & BRAKE

Brake Components

RMC #	Replacement #	Product Description	Popular Applications	Product Information
802078RMC	802078	Air Disc Brake Pad Kit, SK7 & ADB22X Models	Multiple Freightliner, International, Kenworth, Mack & Volvo Applications	ADB22X™ & SB6000 FMSI 8479-D1369, Includes 4 Brake Pad Assemblies & Dayco Hardware Kit: 7 Springs, 2 Pins, 2 Washers, 2 Split Pins, 1 Hexagonal Adapter & 2 Rubber Caps, Meets FMVSS NO121 Standard Leaf mark level B compliant (CA & WA) Extended Rotor & Pad Life Over OE Brake Pads, Passes ECE R90 Certification Testing



802078RMC

Fittings

RMC #	Replacement #	Product Description	Product Information
84103RMC	84103	Straight Union Brass PTC Fitting	Works w/ SAE J844 Nylon Tubing, Meets DOT FMVSS71.106 & SAE J1131, J2494 Standards, -40° to 200° Temperature Range, Saves 75% Assembly Time Over Standard Compression Fittings, Full Flow Design, Positive Release Bushing for Ease of Insertion & Removal of Tubing, Thread Sealant Applied to All Male Pipe Threads to Reduce Installation Time, Maximum Operating Pressure 150 PSI Dimensions - Tube OD: 5/32" Outside Diameter - 5/32"



84103RMC

Gladhands

RMC #	Replacement #	Product Description	Product Information
10028RMC	10028	Rubber Gladhand Seal	Black



10028RMC

AIR & BRAKE

Governors & Repair Kits

RMC #	Replacement #	Product Description	Product Information
275491RMC	275491	Air Governor (D2)	All Ports 1/8" NPT, Includes 4 Plugs & Mounting Gasket Pre-set at 125 PSI, New, No Core Charge"
284358RMC	284358	Air Governor High Temp (D2)	Passed The SAE Standards Endurance Test 130 PSI Input Pressure & Delivery, Exhausted in a 4 Second Cycle +200,000 Times, High Temperature, All Ports 1/8 NPT Includes 4 Plugs & MTG. Gasket, Pre-set at 125 PSI"
800361RMC	800361	Air Governor (D2)	All Ports 1/8 NPT, Includes 4 Plugs & MTG. Gasket Pre-set at 130 PSI, Passed The SAE Standards Endurance Test 130 PSI Input Pressure & Delivery, Exhausted in a 4 Second Cycle +200,000 Times, All Ports 1/8 NPT, Includes 4 Plugs & MTG. Gasket Pre-set at 130 PSI-Non Adjustable

Hoses & Tubing


RMC #	Replacement #	Product Description	Product Information
BE 27157RMC	BE 27157	3 in 1 Air/Electric Hose Kit - 15'	Fully ABS Compatible Spiral Wrapped for Clean Look Swivel End Fittings Cold Weather Kink Resistant Large, Easy Grip Handles Color Coded for Gladhands Includes Hanger Bracket Mounting Assembly for Easy Suspension



BE 27157RMC

Hubcaps

RMC #	Replacement #	Product Description	Product Information
330-3024RMC	330-3024	Hubcap Gasket	6 Bolt Hole Gasket, Bolt Circle: 4-1/2", Dimensions - Bolt Size: 5/16"
343-4024RMC	343-4024	Hubcap W/ Gasket	Interchange w/ C/R & Semco, Include Plug & Gasket, 6 Bolt Bolt Circle: 4 1/2", Overall Height: 2 5/8" Flange I.D: 3 1/2", Flange O.D: 5 1/4", Dimensions - 5/16 Bolt Size Bolt Circle (A): 4 1/2, Overall Height (B): 2 5/8 Flange I.D. (C): 3 1/2, Flange O.D. (D): 5 1/4 Inside Diameter - 3.5, Outside Diameter - 5.25
359-5990RMC	359-5990	Vent Plug, Standard	Diameter: 1-5/8" Qty Pk: 10
388-249-CRMC	388-249-C	Hubcap Gasket	Gasket, Bolt Circle: 5-1/2" I.D.: 4.42"



330-3024RMC

AIR & BRAKE

Slack Adjusters

RMC #	Replacement #	Product Description	Product Information
400-10143RMC	400-10143	Slack Adjuster, Automatic, 5.5" - 6.5" Haldex Style	Type: Drive Axle, Unhanded Design, Drilled Worm Wheel Factory Lubricated & Sealed, Heavy Duty Internals Long Stroke Compatible, Finest Quality Ductile Nodular Iron Spline Length: 10, Spline Diameter: 1-1/2" Arm Length: 5-1/2"-6-1/2" Dimensions - 1 1/2"-10 X 5 1/2"-6 1/2"
400-10212RMC	400-10212	Slack Adjuster, Automatic, 6" Haldex Style	Type: Trailer Axle, Unhanded Design, Drilled Worm Wheel Factory Lubricated & Sealed, Heavy Duty Internals Long Stroke Compatible, Finest Quality Ductile Nodular Iron Spline Length: 28, Spline Diameter: 1-1/2" Arm Length: 6", Dimensions - 1 1/2"-28 X 6"
AS1132RMC	AS1132	Slack Adjuster, Automatic, 5.5" Gunitite Style	Gunitite Style, Clearance Sensing, Collar Lock Clevis 5.5 & 6 Arms, Complete W/ Straight Clevis Unhanded Design, Drilled Worm Wheel Factory Lubricated & Sealed, Heavy Duty Internals No External Brackets Required Long Stroke Compatible, Finest Quality Ductile Nodular Iron Spline Length: 10, Spline Diameter: 1-1/2" Arm Length: 5-1/2", Dimensions - 1 1/2"-10 X 5 1/2"
AS1136RMC	AS1136	Slack Adjuster, Automatic, 5.5" Gunitite Style	Gunitite Style, Clearance Sensing, Collar Lock Clevis 5.5 & 6 Arms, Complete w/ Straight Clevis Unhanded Design, Drilled Worm Wheel Factory Lubricated & Sealed, Heavy Duty Internals No External Brackets Required Long Stroke Compatible, Finest Quality Ductile Nodular Iron Spline Length: 10, Spline Diameter: 1-1/4" Arm Length: 5-1/2", Dimensions - 1 1/4"-10 X 5 1/2"
AS1140RMC	AS1140	Slack Adjuster, Automatic, 5.5" Gunitite Style	Gunitite Style, Clearance Sensing, Collar Lock Clevis 5.5 & 6 Arms, Complete W/ Straight Clevis Unhanded Design, Drilled Worm Wheel Factory Lubricated & Sealed, Heavy Duty Internals No External Brackets Required Long Stroke Compatible, Finest Quality Ductile Nodular Iron Spline Length: 28, Spline Diameter: 1-1/2" Arm Length: 5-1/2", Dimensions - 1 1/2"-28 X 5 1/2"
AS1141RMC	AS1141	Slack Adjuster, Automatic, 6" Gunitite Style	Gunitite Style, Clearance Sensing, Collar Lock Clevis, 5.5 & 6 Arms, Complete W/ Straight Clevis Unhanded Design, Drilled Worm Wheel Factory Lubricated & Sealed, Heavy Duty Internals No External Brackets Required Long Stroke Compatible, Finest Quality Ductile Nodular Iron Spline: 1 1/2" - 28 Drilling: 6" Dimensions - 1 1/2"-28 X 6"
R801073RMC	R801073	Slack Adjuster, Automatic, 5.5" Meritor Style	Meritor Style, Stroke Sensing, Non Quick-Connect Clevis Collar Lock Clevis, 5.5 & 6 Arms Complete W/ Straight Clevis Unhanded Design, Drilled Worm Wheel Factory Lubricated & Sealed, Heavy Duty Internals No External Brackets Required Long Stroke Compatible, Finest Quality Ductile Nodular Iron Spline Length: 28, Spline Diameter: 1-1/2" Arm Length: 5-1/2", Dimensions - 1 1/2"-28 X 5 1/2"



AS1132RMC



AS1140RMC



R801073RMC

AIR & BRAKE

Spring Brakes

RMC #	Replacement #	Product Description	Product Information
234099RMC	234099	Type 20 Diaphragm	Type: 20, Specially Formulated For Long Life & Hard Service Combination of Materials Insures Superior Strength, Flexibility & Resistance To Deterioration, Operating Temperatures Range From -40° F To 212° F, Directly Interchangeable w/ All Competitive Rubber & Neoprene Diaphragms, Dimensions - Nominal Size: 6 1/2
234100RMC	234100	Type 24 Diaphragm	Type: 24, Specially Formulated For Long Life & Hard Service Combination of Materials Insures Superior Strength, Flexibility & Resistance To Deterioration, Operating Temperatures Range From -40° F To 212° F, Directly Interchangeable w/ All Competitive Rubber & Neoprene Diaphragms, Dimensions - Nominal Size: 7
234101RMC	234101	Diaphragm, Type 30	Type: 30, Specially Formulated For Long Life & Hard Service Combination of Materials Insures Superior Strength, Flexibility & Resistance To Deterioration Operating Temperatures Range From -40° F To 212° F Directly Interchangeable w/ All Competitive Rubber & Neoprene Diaphragms, Dimensions - Nominal Size: 8"
3030-TSRMC	3030-TS	Spring brake, Type 30	Tandem Sealed (Complete), Includes Hardware & Clevis
3030-TSLSRMC	3030-TSL	Spring brake, Long stroke	Spring brake, Tandem, Type 30, Includes Hardware & Clevis S-9137 Positive Alignment Steel Power Spring Retainer, Reinforced 11 Gauge Steel Non-Pressure Housing, High Strength Steel Clamp Bands & Plated Steel Housings, Lightweight Aluminum Adapter Housing Epoxy Coated Power Spring & Double O-Ring Center Seal Universal Push Rod With Stroke Indicator
AS3000RMC	AS3000	Clevis	Works w/ Automatic Slack Adjusters
R810019RMC	R810019	Clevis	5/8 Threads, Works w/ Meritor Automatic Slack Adjusters"
801266RMC	801266	Air Dryer Assembly (AD-IS) 12V	Replacement for Bendix AD-IS™, Extended Purge Style
R955205RMC	R955205	Air Dryer Assembly (SS1200)	Replacement for Meritor, 12 Volt, Includes Pressure Controlled Check Valve (TDAS4341003100), New/No Core Charge



3030-TSRMC



234099RMC



234100RMC

Switches

RMC #	Replacement #	Product Description	Product Information
BE13250RMC	BE13250	Stop Light Switch	Replacement For Haldex®, Tractor Circuit Light Ports: 1/4 NPT Supply, 3-5 PSI, 2 Screw Terminals Sealed Non-Rebuildable Style"



BE13250RMC

AIR & BRAKE

Valves

RMC #	Replacement #	Product Description	Popular Applications	Product Information
110500RMC	110500	Spring Brake Control Valve		REPLACEMENT FOR SEALCO® Spring Brake Priority
12104RMC	12104	Drain Valve		REPLACEMENT FOR HALDEX® Ports: 1/4 NPT Male Thread Manual, Includes 4ft Cable
12105RMC	12105	Drain Valve		REPLACEMENT FOR HALDEX® Ports: 1/4 NPT Male Thread Manual, Includes 5ft Cable
286171RMC	286171	Brake Valve (E-6)	Multiple Freightliner, International & Volvo Applications	Replacement for Bendix E-6™ Dual Circuit Valve Delivery Ports (4): 3/8" Supply Ports (4): 3/8"
289714RMC	289714	Quick Release Valve (QR-1C)	Multiple Freightliner, International & Volvo Applications	1/4" NPT Supply & Balance, 3/8" Delivery, New, No Core Charge
800257RMC	800257	Control Valve (MV-3)	Multiple Peterbilt Applications Multiple International Applications	REPLACEMENT FOR BENDIX MV-3™, Type 1 Plate (Recessed) Mounting Holes: 0.28" Open (4) Ports: 3/8" PTC
800260RMC	800260	Control Valve (MV-3)	Multiple Kenworth Applications	Replacement for Bendix MV-3™ PTC, Mounting Holes: M5 x .8X6 Ports: 3/8" PTC New, No Core Charge
800516RMC	800516	Control Valve (MV-3)	Multiple International, Freightliner, Kenworth & Volvo Applications	Replacement for Bendix MV-3™ Replacement for Midland Type 1 Plate (Recessed) Mounting Holes: 0.275" Open (No Threads), Ports: 1/4" NPT
90554107RMC	90554107	Pressure Protection Valve		70 PSI Closing Pressure Valve Ports: 1/4"-18 NPT
K022105RMC	K022105	Purge Valve Kit - Hard Seat (AD-IP, AD-IS)	Multiple International, Freightliner, Kenworth & Volvo Applications	Works w/ Bendix AD-IP & AD-IS™ Air Dryers, Purge Valve Assembly Kit for above -40°C (-40°F). High Boost



BODY PARTS

Caps

RMC #	Replacement #	Product Description	Popular Applications	Product Information
11-04859-100RMC	11-04859-100	Fuel Cap, Non-Locking	Multiple Peterbilt Applications	4" Lever Style Non-Locking Vented, Material : Aluminum, Dimensions - Across Filler Neck: 4" Material - Aluminum"
249-2BRMC	249-2B	Fuel Cap, 3", Kenworth, Non-Locking	Kenworth T600, T660, T800, W900, W900B & W900L Models	3", Non-Locking, Vented # Of Threads: 5.5 Custom Material : Aluminum



11-04859-100RMC

Doors


RMC #	Replacement #	Product Description	Popular Applications	Product Information
20-12972RMC	20-12972	Striker Pin	Peterbilt 330, 335, 378 & 379 Series	



20-12972RMC

Fenders

RMC #	Replacement #	Product Description	Popular Applications	Product Information
742SRMC	742S	Quarter Fender Set, Stainless Steel		Includes Left & Right Fenders, Brackets & Hardware Dimensions: 24" Material - Stainless Steel"
FLT1900KITRMC	FLT1900KIT	Quarter Fender Set	Universal Applications	Includes Left & Right Fenders & Clamp, Dimensions: 24" High Impact Plastic







742SRMC

Headlamps & Parts

RMC #	Replacement #	Product Description	Popular Applications	Product Information
54-1062-100RMC	54-1062-100	Fog Lamp W/ Bulb	Kenworth T660 Models (2008-2019) Peterbilt 579 & 587 Series (2008-2019)	Used Bulb H3-55 Orientation - LH/RH
H11LLRMC	H11LL	Bulb		12V/55W

BODY PARTS

Hood Parts & Components

RMC #	Replacement #	Product Description	Popular Applications	Product Information
37-41-295-60RMC	37-41-295-60	Hood Latch Assembly, LH/RH	Kenworth T660 Models (2001-2015) Mack CH Model (2001-2003) Mack CHN, CXN & CV Model (2001-2015), Mack RH Models Peterbilt 386 Series (2001-2015) Blue Bird Vision Model (2001-2015) Blue Bird Vision School Bus Model	Orientation - LH/RH  37-41-295-60RMC
37-99-344RMC	37-99-344	Latch Assembly	Kenworth T170, T270 & T370 Models Multiple Peterbilt Applications	 L03-0001RMC
L03-0001RMC	L03-0001	Hood Hook	Peterbilt 357, 359, 367, 377-379, 388 & 389 Series (1987-2011) Kenworth W900, T600, T300 & T800 Models (1987-2011)	 L03-0001RMC
L56-0001RMC	L56-0001	Hood Latch	Peterbilt 357, 367, 377-379, 388 & 389 Series (1987-2011) Kenworth T600, W900, T300, T600A, & T800 Models (1986-2018)	
L71-1004RMC	L71-1004	Hood Spring, Kenworth	Kenworth C500, T800, W900 Models (2003-2006)	Brown Spring, Works W/ Meeton Hood, Length: 17.250"
L92-6000-0718RMC	L92-6000-0718	Cable Hood, Restraint	Peterbilt 357, 367, 375, 377, 378 & 379 Series (1987-2005)	 L92-6000-0718RMC

Kits

RMC #	Replacement #	Product Description	Product Information
TAS-00001RMC	TAS-00001	Input Shaft Seal Kit TAS Models, THP60	Works W/ TAS40, 55, 65 & 80 Steering Gears
TAS-650003RMC	TAS-650003	Master Kit (TAS65)	TRW TAS65 Series, 19 PSI



Mirrors

RMC #	Replacement #	Product Description	Popular Applications	Product Information
M015400RMC	M015400	Large Mirror	Kenworth T170, T370, T600, T660, T700 & T2000 Models	Heated

BODY PARTS

Wiper Arm

RMC #	Replacement #	Product Description	Popular Applications	Product Information
R23-1035-23RMC	R23-1035-23	Wiper Arm, RH	Kenworth T600 Models (1985) Kenworth T600A Models (1986-2007) Kenworth T800 Models (1985-2015) Kenworth W900 Models (1985-2015)	Right Hand Wiper Arm, Direct Fit Easy Installation, Sold separately

R23-1035-23RMC



Additional Body Components

RMC #	Replacement #	Product Description	Popular Applications	Product Information
798RMC	798	Warning Triangle Kit	Military M Series	3 Collapsible Reflective Triangles In Compact, 1 Piece Storage Box Dimensions: 17 x 17
K042-79RMC	K042-79	Shift Boot	Kenworth T600A, T600B, T800, T400, T450, T660 & T2000 Series (1999-2011), Kenworth T170, T270, T300, T370 & W900 Series (1999-2010)	Square Top

K042-80RMC	K042-80	Shift Boot	Multiple Kenworth Applications	
------------	---------	------------	--------------------------------	--

K042-79RMC



CLUTCH PARTS & COMPONENTS

Clutch Shafts

RMC #	Replacement #	Product Description	Popular Applications	Product Information
06-01093RMC	06-01093	Clutch Release Shaft, 9.625"	Peterbilt 387 Model	Length: 9.625"
K210-883RMC	K210-883	Clutch Release Shaft, 9.00"	Multiple Kenworth Applications	Length: 9"

06-01093RMC



Clutch Components

RMC #	Replacement #	Product Description	Popular Applications	Product Information
697-956-RRMC	697-956-R	Drive Pin	International 5000 & 9000 Series	International DT466, T444E, VT375, DT466, T444E, VT375 Engine Models

DRIVELINE REPLACEMENT PARTS

Kits

RMC #	Replacement #	Product Description	Popular Applications	Product Information
170-70-18XRMCM	170-70-18X	Strap Kit		STRAP KITS CONSIST OF 2 STRAPS & 4 BOLTS, M22
250-70-18XRMCM	250-70-18X	Strap Kit	Volvo WA Model (1990-2009) Volvo WG Model (1990-2009) Volvo WX Model (1990-2009)	STRAP KITS CONSIST OF 2 STRAPS & 4 BOLTS, 1/2-20"
6.5-70-18XRMCM	6.5-70-18X	Strap Kit, Contains Repl Bolts and Straps		Includes 2 Straps & 4 Bolts M20



170-70-18XRMCM



6.5-70-18XRMCM



DRIVETRAIN

Differential

RMC #	Replacement #	Product Description	Popular Applications	Product Information
WE9000RMC	1649-492-C	Wheel Nut		2 Piece, Bud Style Uni-Mount 10 Dimensions - Thread: M22 x 1.5 Hex: 33mm, Tall: 32mm
586-049-CRMC	586-049-C	Magnetic Plug	Multiple Dana/Eaton & Meritor Applications, Fuller 610, 613, 910, 915, 6610, 6613, 9509, 9513, 11609, 12509, 12510, 12513, 12515, 14609, 14610, 14613 & 14615 Axle Models International RA29, 30, 39, 42, 44, 47, 57 & 351 Axle Models	Dimensions - 3/4 - 14 NPT



586-049-CRMC

ELECTRICAL

Relays

RMC #	Replacement #	Product Description	Popular Applications	Product Information
POT/VF4-15F11RMC	POT/VF4-15F11	Micro Relay	Multiple Freightliner & Peterbilt Applications	5 Terminal, 10 Amp, 12 Volt

POT/VF4-15F11RMC



Switches

RMC #	Replacement #	Product Description	Popular Applications	Product Information
P27-1067RMC	P27-1067	Turn Signal Switch	Kenworth T370, T440, T660 & T380 Models, Peterbilt 330, 337, 365, 367, 379 & 567 Series	8 Wire w/Harness

P27-1067RMC



ENGINE

Engine Mounts


RMC #	Replacement #	Product Description	Popular Applications	Product Information
11760RMC	11760	Engine Mount Kit, Rear	Kenworth T600 & T800 Models	Rubber Design, Rear Engine Includes Hardware
K066-377RMC	K066-377	Engine Mount	Kenworth T800 Models Kenworth T600 (2004)	Mount Mount Upper Rear Inside Dimensions: 0.812" Outside Diameter - Large : 7.750" Outside Diameter - Small : 1.980"



K066-377RMC


Fuel Systems

RMC #	Replacement #	Product Description	Popular Applications	Product Information
90-00334RMC	90-00334	Fuel Tank Cap Gasket	Kenworth T600, T660, T800 & W900 Models	Qty Pkg 10 90-00334RMC




Radiators & Accessories

RMC #	Replacement #	Product Description	Popular Applications	Product Information
13-03096RMC	13-03096	Radiator Mount	Freightliner Columbia & Century, Multiple Kenworth, Mack, & Peterbilt Applications	Flange 1/4" Nipple, OD: 3/4" Large OD: 1 1/16"
F50-6308RMC	F50-6308	Radiator Coolant Hose, Upper	Kenworth T660 Series	Silicone, Diameter: 2.50", 5 ring
RC1040RMC	RC1040	Radiator Cap	Multiple Peterbilt & Kenworth Applications	10 PSI
RC1540RMC	RC1540	Radiator Cap	Multiple Peterbilt & Kenworth Applications	15 PSI
RC1630RMC	RC1630	Radiator Cap	Multiple Peterbilt & Kenworth Applications	16 PSI




Sensors

RMC #	Replacement #	Product Description	Popular Applications	Product Information
22014032RMC	22014032	Post-SCR NOX Sensor	Mack and Volvo Applications	12 Volt Supply
22303390RMC	22303390	Nitrogen Oxide (NOX) Sensor	Volvo VN & VNL Models	Pre-Catalytic Sensor
4928594RMC	4928594	Pressure Sensor, EGR	Cummins ISX, ISM, ISC, ISB Engine Models	



Water Pumps

RMC #	Replacement #	Product Description	Product Information
85142304RMC	85142304	Water Pump	Volvo D11, D13, D16 Engine Model



Additional Engine Components

RMC #	Replacement #	Product Description	Popular Applications	Product Information
F04-6006RMC	F04-6006	Elbow	Peterbilt 387 Series Kenworth T660 Models	Diameter: 2.50", Silicone

EXHAUST

Clamps

RMC #	Replacement #	Product Description	Popular Applications	Product Information
DDE A6809950302RMC	DDE A6809950302	Diesel Particulate Filter (DPF) Clamp, 10.5"	Multiple Applications	Nominal Diameter: 10.5" / 267.66mm Coupler Width: 2.16" / 55mm Stainless Steel
EC50PLA-RRMC	EC50PLA-R	Exhaust Clamp, Aluminized 5"	International 5000 Severe Service Models, International 9000 Premium Cabover and Conventional Models	Diameter: 5", Preformed Aluminized
EC50PLS-RRMC	EC50PLS-R	Exhaust Clamp, Stainless Steel	International 9700 & 9800 Series Premium Cabovers Stainless Steel	5" Stepped, Preformed Stainless Steel

EC50PLS-RRMC




Additional Exhaust Components

RMC #	Replacement #	Product Description	Popular Applications	Product Information
M66-3541RMC	M66-3541	Exhaust Bellow, 12.50"	Multiple Applications	True Three Layered Bellows W/ All Benefits Of Proprietary Unit Dimensions: 4" x 4" Flanged Length: 12.50"
M13-1011RMC	M13-1011	Exhaust Bushing		Works w/ HWC04847 O.D.: 1 15/16", I.D.: 15/32" L.G.: 1 3/16", H.D.: 70A

M66-3541RMC




M13-1011RMC



Condensers & Evaporators

RMC #	Replacement #	Product Description	Popular Applications	Product Information
20461065RMC	20461065	Condenser	Freightliner FL60, 70 & 80 Volvo VN Models (2000-2006)	Radiator Mount, Inlet: Pad Outlet: Pad, Type: Parallel Flow Refrigerant Type: R12/R134a O-Ring #1: 16-4284 O-Ring #2: 16-4284, Dimensions: 16 1/4" X 31 1/2" X 7/8"

20461065RMC



HVAC

Chelsea® Parts & Accessories

RMC #	Replacement #	Product Description	Popular Applications	Product Information
07-20502-000RMC	07-20502-000	Shift Console Assembly	Multiple Freightliner Applications	Description Detailed - Length: 91"

329358XRMC

329358X

Combo Valve

REPLACEMENT FOR CHELSEA®
Controls Air Shift PTO &
Air Dump Pumps



07-20502-000RMC



329358XRMC

PTO Kits - Chelsea® Style

RMC #	Replacement #	Product Description	Product Information
AVC295-8RMC	AVC295-8	Combo Valve w/ Install Kit	Safety Push Latch Prevents Accidental Engagement, Bright Led Indicator Light, Auto Disengagement In "Lower" Position A "Feathered" Controlled Lowering Of Body, Push-To-Connect Fittings For Ease Of Assembly, Manual Return To Neutral Of Dump Control, Detent Lock On Neutral Of Dump Control

AVC295-8RMC



Pumps

RMC #	Replacement #	Product Description	Product Information
C102ASRMC	C102AS	Dump Pump, C Series Direct Mount w/ Air Shift Cylinder	C Series Direct Mount, CCW Includes Air Shifter Cylinder, 7/8 13 Tooth Spline Shaft 49 GPM Flow at 1800 RPM, Max. RPM 2400 Extended Studs for Support Bracket Pre-Mounted Shifter Cylinder, Sleeve Included



C102ASRMC

RADIATOR/CAC

Charge Air Coolers

RMC #	Replacement #	Product Description	Product Information
1673-866-CRMC	1673-866-C	Charge Air Cooler Hose, Hot Air Return, 4"	Inside Diameter: 4", Length: 7" Turbo Hose, Warm Air Return"

1673-866-CRMC



Surge Tanks

RMC #	Replacement #	Product Description	Popular Applications	Product Information
21846997RMC	21846997	Surge Tank	Volvo VN, VNL & VNM Models (2008-2014), Volvo VHD Models (2008-2018), Mack CHU & CXU Models (2008-2015), Mack CXN & Pinnacle Models (2008-2018)	Position : Front, Material: Plastic Color: Clear Mount Hole Quantity : 4 Includes: Filler Cap (20968839), Pressure Cap (21314359) , Coolant Sensor (20900982) & Clamp (20915849), Material - Plastic
A05-25263-005RMC	A05-25263-005	Surge Tank	Freightliner Cascadia (2008-2019), Century (2008-2011), Columbia (2010-2015), Coronado (2010-2019), FLD120SD (2011), M2-106 (2014-2016), M2-112 (2008-2019)	Material: Plastic, Color: Clear Mount Hole Quantity : 4 Cap Maximum Pressure Rating : 15 PSI Includes Pressure Cap (05-20763-002), Filler Cap (BHT W3678001) & Coolant Sensor (06-62384-002)
A05-28531-000RMC	A05-28531-000	Surge Tank	Freightliner M2 & M2-106 (2012-2019), Freightliner C2 (2012-2016)	Position : Front, Material: Plastic Color: Clear Mount Hole Quantity : 3 Cap Maximum Pressure Rating : 15 PSI, Does Not Include Sensor Material - Plastic
N5346001RMC	N5346001	Surge Tank	Multiple Kenworth & Peterbilt Truck Models 2008 - 2019	Includes Check Valve & Cap Position : Front, Material: Plastic Color: Clear Mount Hole Quantity : 2 Cap Maximum Pressure Rating : 15 PSI
N9267001RMC	N9267001	Fluid Level Sensor	Kenworth W900, T660 & T800 Models (2008 - 2019), Peterbilt 348, 335, 359, 365, 367, 377, 379, 387, 382, 384, 385, 386, 388 & 389 Series (2008 - 2019)	Works w/ Surge Tank N5346001 Length: 4.48"



N5346001RMC



21846997RMC

SUSPENSION

Air Springs

RMC #	Replacement #	Product Description	Popular Applications	Product Information
1104K002RMC	1104K002	Air Spring	Kenworth Aerocab Front Suspensions	Extended length: 10.00" Compressed length 2.40"
1R11-028RMC	1R11-028	Air Spring	International applications w/ Hendrickson & Neway Suspension models, Kenworth AG100 airglide suspension models	Extended length: 13.00" Compressed length: 3.70" Rolling lobe, Plastic base
27-01746RMC	27-01746	Air Spring Stud	Multiple Kenworth & Peterbilt Applications	

29-03200RMC

29-03200

Cabin Air Spring

Peterbilt 379

Cap Number: 7014
Piston Number: 6906
Top Plate Hole/Stud: 1
Bottom Plate Hole/Stud: 1
Extended Height: 14.00"
Compressed Height: 4.00"
BCR (Logo Color): 10.00" (Yellow)
Top Plate Diameter: 2.84"
Bottom Plate Diameter: 2.28"

1104K002RMC



29-03200RMC



Front & Rear Truck Suspension Components

RMC #	Replacement #	Product Description	Popular Applications	Product Information
02-01781RMC	02-01781	Spring Pin	Kenworth Front C500B, C550B, K100, K300, T300, T400, T450, T600 & T800 Models	6 7/8" Spring Front Suspension Works w/ 02-01805
B20-6006RMC	B20-6006	Spring Shackle bar	Peterbilt Front 4" COE & conventionals Kenworth Front C500B, 550B, K100,300,T300, 400, 450, 600, 800	Two Spring Pin Holes Center to Center: 4 " OAL: 6.375"

02-01781RMC



Hardware

RMC #	Replacement #	Product Description	Popular Applications	Product Information
02-01784RMC	02-01784	Spring Shackle	Peterbilt Conventional & Cabover Series	Includes 4" Wide Springs
02-01805RMC	02-01805	Spring Pin Bushing	Peterbilt Conventionals & Cabovers w/ 4" Wide Suspension Springs International 4500-4900 Series Medium Duty	Works W/ 4" Wide Front Suspension Springs

02-01784RMC



SUSPENSION

Height Control System

RMC #	Replacement #	Product Description	Popular Applications	Product Information
90054007RMC	90054007	Leveling Valve		REPLACEMENT FOR HALDEX® Ports: 1/8 NPT Includes Fitting Package
HV9990RMC	HV9990	Leveling Valve	Peterbilt 330, 335, 337, 348, 357, 359, 377, 378, 379, 567, 579 & 587 Models	Integral Pump, Paccar Applications REPLACEMENT FOR BARKSDALE Ports: 1/4" NPT Includes Dump Feature
KD2205RMC	KD2205	Leveling Valve	Freightliner M2 106 (2012)	REPLACEMENT FOR BARKSDALE® Ports: 1/4" NPT Includes Dump Feature
KD2445RMC	KD2445	Leveling Valve w/ Dump		REPLACEMENT FOR BARKSDALE® Includes Dump Feature Ports: 1/4" NPT

HV9990RMC



Shock Absorbers

RMC #	Replacement #	Product Description	Popular Applications	Product Information
646155RMC	646155	Shock Absorber	Multiple Peterbilt Applications	Granning & Watson Chalin Suspension Models
85000RMC	85000	Shock Absorber-SHD	Multiple Hendrickson Applications	Upper Mounting: ES36, Lower Mounting: ES36, Bore: 1 5/8" External Diameter Illustration: C Extended Length: 17.22 Collapsed Length: 11.46, Stroke Length: 5.76, Dust Tube: YES, Recoil Cutoff: YES, Rebound: 1019, Compression: 219
85067RMC	85067	Shock Absorber-SHD	Peterbilt Applications	Upper Mounting: ES174, Lower Mounting: ES136, Bore: 1 5/8" External Diameter Illustration: C Extended Length: 30.51, Collapsed Length: 18.1, Stroke Length: 12.41 Dust Tube: YES, Recoil Cutoff: YES Rebound: 676, Compression: 170
85070RMC	85070	Shock Absorber-SHD	Multiple Kenworth Applications	Upper Mounting: ES174 Lower Mounting: EB3, Bore: 1 5/8" External Diameter Illustration: C Extended Length: 25.6, Collapsed Length: 15.82, Stroke Length: 9.78 Dust Tube: YES, Recoil Cutoff: NO Rebound: 1100, Compression: 310



646155RMC

Torque Rod Assemblies & Components

RMC #	Replacement #	Product Description	Popular Applications	Product Information
16-18972-000RMC	16-18972-000	Torque Rod Assembly, 24", Forged, Non-rebushable	Freightliner Cascadia, FLD, Century & Columbia, Airliner Model Suspensions	Length: 24.21" (Center to Center) OEM Forged
839310RMC	839310	Torque Rod Bushing	International 4500-4900 Series Medium Duty, International 9200-9400 Series Conventional Cabovers	
A16-16749-002RMC	A16-16749-002	Torque Rod Assembly	Multiple Freightliner Applications	Length: 24.5" (Center to Center)

www.rihmkenworth.com
800.988.8235



S. ST. PAUL, MN
425 Concord Street South
South St. Paul, MN 55075

ALBERT LEA, MN
77847 209th Street
Albert Lea, MN 56007

COON RAPIDS, MN
9400 Evergreen Blvd
Coon Rapids, MN 55433

MANKATO, MN
2401 9th Avenue
Mankato, MN 56001

SAUK CENTRE, MN
805 Shamrock Ln
Sauk Centre, MN 56378

SUPERIOR, WI
4501 Tower Ave
Superior, WI 54880

WINONA, MN
6830 Martina Rd
Minnesota City, MN 55959