

THROUGH HEAT AND FREEZE A PRODUCT FOR EVERY DIESEL NEED

DISTRIBUTED BY:



RIHM KENWORTH

PRODUCT CATALOG





POWER SERVICE PROTECTS YOUR INVESTMENT AND FUELS YOUR PASSION.



PERFORMANCE

Maximize power and fuel economy



WINTERIZATION

Winterize diesel fuel



FUEL TANK HYGIENE

Maintain fuel and tank cleanliness



Endorsed by Cummins for use in diesel engines

Prevents fuel gelling

Protects against fuel-filter icing

Boosts cetane for faster cold starts

Contains **Slickdiesel®** Lubricator to protect fuel pumps and injectors from increased wear caused by poor quality Ultra Low Sulfur Diesel (ULSD) fuel

Effective in all diesel fuels, including ULSD and biodiesel blends

Safe for use in all diesel engines – does not contain metal or metal ions

Will not void engine manufacturer's warranty when used as directed

PART#	PACK	EACH CONTAINER TREATS			
CUSTOMER CONVENIENCE FORMULA – 1:500 TREATMENT RATIO					
1012-09	9/1 12-Ounce	Up to 40 Gallons			
1026-12	12/1 26-Ounce	Up to 100 Gallons			
1064-06	6/1 64-Ounce	Up to 250 Gallons			
CONCENTRATED FORMULA – 1:1,000 TREATMENT RATIO					
1128-04	4/1 One-Gallon	Up to 1,000 Gallons			
1060	260-Gallon Tote	Up to 260,000 Gallons			
1000	6,000-Gallon Min.	Up to 6,000,000 Gallons			
CONCENTRATED	CONCENTRATED FORMULA – 1:1,500 TREATMENT RATIO				
1050-02	Two/2.5-Gallon	Up to 3,750 Gallons			
1055	55-Gallon Drum	Up to 82,500 Gallons			
1260	260-Gallon Tote	Up to 390,000 Gallons			

Diesel Fuel Supplement +Cetane Boost is a winterizer/antigel that is used in the winter to prevent fuel gelling and protect against ice and wax from plugging fuelfilters. It keeps engines running for maximum operability when temperatures drop below +30°F.



Endorsed by Cummins Inc.



Reliquefies gelled fuel

De-ices frozen fuel-filters

Removes water

Prevents fuel-filter icing

Contains **Slickdiesel®** Lubricator to protect fuel pumps and injectors from increased wear caused by poor quality Ultra Low Sulfur Diesel (ULSD) fuel

Effective in all diesel fuels, including ULSD and biodiesel blends

Safe for use in all diesel engines – does not contain metal or metal ions

Will not void engine manufacturer's warranty when used as directed

PART#	PACK	EACH CONTAINER TREATS
8026-12	12/1 26-Ounce	Up to 100 Gallons
8064-06	6/1 64-Ounce	Up to 250 Gallons
8050-02	Two/2.5-Gallon	Up to 1,250 Gallons
8055	55-Gallon Drum	Up to 27,500 Gallons

Diesel 911 is a winter emergency product used to reliquefy gelled fuel and de-ice frozen fuel-filters. Use this product if your vehicle will not start or gain power.



Endorsed by Cummins for use in diesel engines

Cleans dirty injectors and prevents injector sticking in both High Pressure Common Rail (HPCR) and older systems

Removes both internal and external deposits on fuel injectors

Boosts cetane up to 6 numbers – engines run smoother with less power lag and faster cold starts

Boosts power - reduces need for downshifting

Restores lost power and fuel economy up to 7%

Contains **Slickdiesel*** Lubricator to protect fuel pumps and injectors from increased wear caused by poor quality Ultra Low Sulfur Diesel (ULSD) fuel

Prevents formation and agglomeration of asphaltenes – prevents thermal breakdown

Effective in all diesel fuels, including Ultra Low Sulfur Diesel (ULSD), biodiesel, biodiesel blends and renewable diesel

Safe for use in all diesel engines – does not contain metal or metal ions

Will not void engine manufacturer's warranty when used as directed

PART#	PACK	EACH CONTAINER TREATS		
CUSTOMER CONV	CUSTOMER CONVENIENCE FORMULA – 1:500 TREATMENT RATIO			
3012-09	9/1 12-Ounce	Up to 40 Gallons		
3026-12	12/1 26-Ounce	Up to 100 Gallons		
3064-06	6/1 64-Ounce	Up to 250 Gallons		
CONCENTRATED	CONCENTRATED FORMULA – 1:1,000 TREATMENT RATIO			
3128-04	4/1 One-Gallon	Up to 1,000 Gallons		
CONCENTRATED	CONCENTRATED FORMULA – 1:1,500 TREATMENT RATIO			
3850-02	Two/2.5-Gallon	Up to 3,750 Gallons		
3855	55-Gallon Drum	Up to 82,500 Gallons		
3860	260-Gallon Tote	Up to 390,000 Gallons		
3800	6,000-Gallon Min.	Up to 9,000,000 Gallons		

Diesel Kleen +Cetane
Boost is a total injector
cleaner and performance
improver that cleans
injectors, boosts cetane
and lubricates fuel
injection components.
It restores lost power and
smooths rough-running
engines.





Flushes entire fuel system in a single tank for rapid clean-up

Removes stubborn injector deposits with a single tank use – including IDIDs and nozzle coking

Balances fuel injector flow rates for optimized combustion – smooths rough running engines

Exclusive **REGENEXTEND™** technology reduces the frequency and duration of regens up to 50%

Cleans DPF and prevents premature clogging

Reduces carbon and soot build-up on turbo, EGR and MAF sensor

Reduces emissions, including NOx and black smoke, up to 50%

Improves fuel economy up to 10%

Restores lost power and torque and improves acceleration

Significantly reduces maintenance costs and downtime

Effective in all diesel fuels, including Ultra Low Sulfur Diesel (ULSD) fuel, biodiesel, biodiesel blends and renewable diesel

Safe for use in all diesel engines – does not contain metal or metal ions

Will not void engine manufacturer's warranty when used as directed

PART# **EACH CONTAINER TREATS PACK** 3212-09 9/1 12-Ounce Up to 40 Gallons 12/1 26-Ounce Up to 100 Gallons 3226-12 3264-06 6/1 64-Ounce Up to 250 Gallons

Diesel Injector & DPF Flush is a fast-acting, singletank flush that cleans the entire fuel system including injectors, the diesel particulate filter (DPF), turbo and EGR. Formulated to be used monthly or as needed, this complete fuel system flush removes injector deposits and reduces emissions and soot build-up in the DPF.

It decreases the frequency and duration of both active and passive diesel regens and minimizes forced regens that lead to costly downtime.



Disperses diesel fuel contaminants

Removes water and slime

+Petrofresh* provides maximum long-term storage stability – keeps fuel fresh

Prevents premature fuel-filter plugging

Protects against fuel tank corrosion

Effective in conjunction with **Bio Kleen Diesel Fuel Biocide** to remove residual water and contaminants during microbial contamination clean-ups

Effective in all diesel fuels, including Ultra Low Sulfur Diesel (ULSD), biodiesel, biodiesel blends and renewable diesel

Safe for use in all diesel engines – does not contain metal or metal ions

Will not void engine manufacturer's warranty when used as directed

PART#	PACK	EACH CONTAINER TREATS
CUSTOMER CONV	ENIENCE FORMULA – 1:500 TRE	ATMENT RATIO
9226-12	12/1 26-Ounce	Up to 100 Gallons
9264-06	6/1 64-Ounce	Up to 250 Gallons
CONCENTRATED	FORMULA – 1:1,000 TREATMEN	T RATIO
9228-04	4/1 One-Gallon	Up to 1,000 Gallons
9250-02	Two/2.5-Gallon	Up to 2,500 Gallons
9255	55-Gallon Drum	Up to 55,000 Gallons

Clear-Diesel Fuel & Tank
Cleaner is an advanced
diesel fuel and tank
cleaning technology.
This Fuel Polishing
Formula removes water
and slime, disperses fuel
contaminants and stabilizes
fuel during long-term
storage.

Dual-Phase – effective in both diesel fuel and water

Effective as a "quick-kill" biocide and for long-term diesel fuel maintenance

Kills microbes (bacteria and fungus) that grow in dispersed and free water associated with diesel fuels

Prevents fuel-filter plugging – helps prevent fuel system failures

Protects fuel system components against organic acids created by microbial growth - prevents fuel tank corrosion

Improves fuel performance

Reduces engine maintenance costs

Effective in all diesel fuels, including Ultra Low Sulfur Diesel (ULSD), biodiesel, biodiesel blends and renewable diesel

Safe for use in all diesel engines – does not contain metal or metal ions

Will not void engine manufacturer's warranty when used as directed

Bio Kleen Diesel Fuel Biocide is a dual-phase (effective in both diesel fuel and water) biocide that kills microbes in fuel, including bacteria and fungus. Use this product to rid your fuel system of microbial contamination.

PART#	PACK	SHOCK TREATMENT	MAINTENANCE TREATMENT
9016-09	9/1 16-Ounce	320 Gallons	880 Gallons
9128-04	4/1 One-Gallon	2,500 Gallons	7,000 Gallons
9055	55-Gallon Drum	137,500 Gallons	385,000 Gallons

To ensure peak performance of your diesel, **Power Service recommends this maintenance schedule:**







Every time you fill up above 30°F.

DIESEL KLEEN"+CETANE BOOST

If temperatures are above 30°F., add Diesel Kleen +Cetane Boost (silver bottle) to clean injectors, boost power, lubricate pumps and injectors and restore lost power and fuel economy.



Use monthly or as needed

DIESEL INJECTOR & DPF FLUSH®

Use this complete fuel system flush to remove injector deposits and reduce emissions & soot build-up in the DPF. It decreases the frequency & duration of both active and passive diesel regens and minimizes forced regens that lead to costly downtime.







Every time you fill up below 30°F.

DIESEL FUEL SUPPLEMENT*+CETANE BOOST*

If temperatures are below 30°F., add Diesel Fuel Supplement +Cetane Boost (white bottle) for winter operability to prevent fuel gelling and protect against fuel-filter icing.



In a winter emergency

DIESEL 911°

Use Diesel 911 to reliquefy gelled fuel and de-ice frozen fuel-filters if your vehicle will not start or gain power in cold weather.



At least quarterly or as needed

CLEAR-DIESEL® FUEL & TANK CLEANER

Treat with Clear-Diesel Fuel & Tank Cleaner to remove water, disperse contaminants and ensure fuel is stabilized for long-term storage.



If microbial contamination is present

BIO KLEEN® DIESEL FUEL BIOCIDE & CLEAR-DIESEL® FUEL & TANK CLEANER

Treat with Bio Kleen Diesel Fuel Biocide to kill the microbes and Clear-Diesel Fuel & Tank Cleaner to remove the residual water and contaminants.



Tank Farm

Serving a Purpose

Power Service Products is America's largest manufacturer of technologically advanced diesel fuel additives. Since 1956, our third-generation family-owned company has been manufacturing the most technologically advanced diesel fuel additives through our ongoing commitment to quality, integrity and product advancement. All of our energy and resources are singularly focused on treating diesel fuel. Our complete line of industryleading diesel fuel additives provides year-round engine performance improvement, trouble-free winter operation and proper fuel tank hygiene.



Production line

Made in Texas

Our 43-acre corporate campus is located in Weatherford, Texas, and includes a 1.3 million gallon bulk chemical storage plant, testing and research laboratories, and a highly automated chemical manufacturing warehouse. These modern facilities efficiently process product orders for more than 1,000 warehouse distributors, retailers, fleets and original equipment manufacturers serving clients worldwide.

Industry-Leading Research & Development

Just as diesel fuel and engine technologies continue to evolve, we constantly are improving our



Research laboratory

additive technology to address the needs of the diesel industry for both new and legacy equipment. Through continued research and fuel testing from our state-of-the-art research laboratory, Power Service has developed industry-leading performance additives that improve trouble-free winter operability and proper fuel tank hygiene. Today, Power Service Products of Weatherford, Texas, offers a complete line of diesel fuel additives. What started 60 years ago in a small, one-car garage has grown into one of the industry's biggest and most endearing success stories. Power Service Products is a recognized leader in diesel fuel additive technology — a company dedicated to giving more power to you.



Power Service corporate offices



Distributed By:



